## Wilja.



(CLIMAX x KO 51-123)

Market Outlet: Table

## **Agronomic Information**

Scoring (1= low / poor, 9= high / excellent)

\*NIAB 2015 data

Maturity	Second Early	Disease Resistan	ce
Average Yield	High		
Overlite.		Foliage Blight	3
Quality		Tuber Blight	5
		Alternaria (Early Blight)	
Tuber Shape	Long Oval	Common Scab	7
Uniformity of shape	6	Powdery Scab	5
Eye Depth	7		
Skin Colour	White	Virus Y	2
Flesh Colour	Light Yellow	Virus Yntn	
Dry Matter (%)	18.9	Virus A	
		Virus X	
Agronomy		Spraing	5
		Silver Scurf	4
Dormancy		Fusarium (Dry Rot)	7
Foliage Maturity	7	PCN—Ro1	Susceptible
Tuber Number	14.1 per plant	PCN—Pallida	Susceptible
Resistance to damage	6	Wart Disease	
Resistance to bruising	5		
Secondary Growth		Leaf Roll Virus	7
Flower Colour	White	Blackleg	5

Agrico UK, Castleton of Eassie, Forfar, Angus, DD8 1SJ T: +44 (0)1307 840 551 / E: potatoes@agrico.co.uk www.agrico.co.uk



<sup>&#</sup>x27;Agrico will revise this information from time to time as necessary. Agrico cannot be held liable for any loss or damage arising from the use of this information'